

Safety Data Sheet

Alstasan Hand Rub

chemtex

Section 1.

Chemical Product and Company Identification

In case of any emergency, contact
Poison Control Center
1800-116-117

Product Name Alstasan Hand Rub
Product Description Alcohol based Handrub Disinfectant

Manufacturer's Name Chemtex Speciality Limited
Address Haute Street Corporate Park
86A Topsia Road (S),
Kolkata 700046

Contact Information Ph: +91-33-7111-1111
Email info@chemtexlimited.com

Supplier's Name Chemtex Speciality Limited
Address Haute Street Corporate Park
86A Topsia Road (S),
Kolkata 700046

Contact Information Ph: +91-33-7111-1111
Email info@chemtexlimited.com

SDS Prepared 16/8/2014

SDS Revised 30/3/2018

Emergency Contact No. +91-33-7111-1111

Mail: info@chemtexlimited.com

Section 2.

Hazard Identification

Route of Entry Ingestion, Inhalation



Eyes Irritant. Inflammation of eyes characterized by redness, watering and itching.

Skin Irritant in case of direct contact. Skin irritation is characterized by itching, scaling, whitening and occasional blistering. Skin contact may produce burns.

Ingestion Swallowing this product may cause discomfort or GI disturbance. Prolonged exposure may result in ulceration.

Inhalation Lung sensitizer. Non hazardous in case of inhalation. Over exposure may cause irritation of respiratory pathways.

Sub Chronic, Chronic No application information was found concerning any potential health effects resulting from sub-chronic or chronic exposure to the product. The substance is toxic to lungs, mucous membranes. Repeated or prolonged exposure to the substance can produce target organs damage.

OSHA Hazard Status		Hazardous			
Class	Pictogram (if available)	Hazard	Category	Hazard Statement	P codes
GHS02: Danger Warning - Flammable		H225, H226	Cat. 2	Highly flammable liquid and vapour	210, 233, 240, 241, 242, 243, 280, 303+361+35 3+ 370+378, 403+235, 501
GHS09: Warning - Environment Toxicity		H401	N/A	Toxic to aquatic life	

Safety Data Sheet
Alstasan Hand Rub



P codes

- P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting/equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fumes/gas/mist/vapours/spray.
P264 Wash thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+361+3 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
53
P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+351+3 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and
38 easy to do – continue rinsing.
P337+313 If eye irritation persists get medical advice/attention.
P370+380+3 In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.
75
P405 Store locked up.
P403+233 Store in a well ventilated place. Keep container tightly closed.
P403+235 Store in a well ventilated place. Keep cool.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 3.

Composition/ Information on Ingredients

Ingredients	CAS No.	%
Ethyl Alcohol	64-17-5	70 v/v
CHG 20%	55-56-1	2.5 w/v

The information given above is a proprietary property of Chemtex Speciality Limited and it reserves all rights to protect it from being misused

Safety Data Sheet

Alstasan Hand Rub



Section 4. First Aid Measures

Eyes	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of cold water. Get medical attention immediately.
Skin	Immediately flush skin with plenty of water while removing contaminated clothing and shoes. Wash with soap and cover the contaminated skin with an emollient. Wash clothing and shoes before reuse. Seek immediate medical attention.
Ingestion	Do NOT induce vomiting unless directed by any medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic, infectious or corrosive. Seek immediate medical attention.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY. IF EXPOSED, CALL POISON CONTROL CENTER/DOCTOR/PHYSICIAN.

Section 5. Fire Fighting Measures

Flammable	Yes		
Flash Point	>30°C		
Flammability Point (% by volume)			
Lower	3.3	Upper	19 N/A
Autoignition Temperature		363°C / 685.4F	
Extinguishing Media	Use water, dry chemicals or foam. CO2 may provide limited control.		

Fire Fighting Instructions Cool tanks/ drums with water spray/ remove them to safety. Do not move if exposed to heat.

Fire & Explosion Data Upon combustion, CO and CO2 are formed. Reacts violently with strong oxidizers. Violent to explosive reaction with acids.

Special Hazards Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

NFPA Symbol and Label

Health	2
Flamability	3
Reactivity	0
Special Notice	

Hazard Rating

- 4. Extreme
- 3. Serious
- 2. Moderate
- 1. Minimal
- 0. Slight

Safety Data Sheet

Alstasan Hand Rub



Section 6.

Accidental Release Measures

Small Spill	Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container.
Large Spill	Corrosive liquid. Do not touch spilled material. Stop leak if without risk. Absorb with dry earth, sand or other non-combustible material. Do not get water inside container. Avoid contact with combustible materials such as wood, paper, oil, clothing. Keep substance damp using water spray. Prevent entry into sewers, basements or confined areas. Call for assistance on disposal.

Section 7.

Handling Measures & Storage

Handling	Keep container dry and tightly closed in a cool, well ventilated area. Separate from acids, alkalis, reducing agents and combustibles. Keep away from heat and other sources of ignition. Do not ingest. Do not breathe gas/fumes/vapor/spray. Avoid contact with skin and eyes. Never add water to this product.
Storage	[P314]Get medical advice/attention if you feel unwell.[P402+404]Store in a dry place. Store in a closed container.[P403+233]Store in a well ventilated place. Keep container tightly closed.[P403+235]Store in a well ventilated place. Keep cool.

Section 8.

Exposure Controls & Personal Protection

Exposure Limits	ACGIH STEL: 1000 ppm OSHA PEL (TWA): 1900mg/m3
Specific Engineering Controls	Ensure that ventilation maintains dust levels below WES. Ensure adequate ventilation, especially in confined areas. Use explosionproof electrical/ventilating/lighting/equipment. Ensure that eye wash stations and safety showers are close to the workstation location
Personal Protective Equipment	
HMIS	PPE
A	Safety Glasses

Pictograms



Safety Data Sheet

Alstasan Hand Rub



Section 9. Physico-Chemical Data

Form	Clear liquid
Appearance	Slight Red
Odor	Lemon type
pH (Neat)	7.0 - 8.0
Specific Gravity (20°C)	0.82 - 0.90
Solubility	Miscible in water

Additional Physico-chemical Data

Vapor Pressure (20°C)	N/A
Volatility	N/A
Boiling Point	N/A
Taste	N/A

Section 10. Stability and Reactivity

Chemical Stability	Stable
Hazardous Polymerization	Will not occur
Conditions to avoid	Do not freeze. Keep away from open flames, hot surfaces , source of ignition
Incompatibility	Reducing agents, Combustible materials, Acids, Alkalis, heat, flames
Corrosivity	N/A
Special Remarks	Hygroscopic

Section 11. Toxicological Information

Product	Oral LD50 (Rat) [mg/kg]	Dermal LD50 (Rabbit) [mg/kg]	Inhalation LC50 (Rat) [mg/L]
Alstasan Hand Rub	>90	N/A	N/A

Carcinogenicity	Non Carcinogenic
Teratogenicity	Non Teratogenic
Mutagenicity	Non Mutagenic

Section 12. Ecological Information

BOD	N/A
COD	N/A
Biodegradation	N/A
Marine Pollutant	H401

Safety Data Sheet
Alstasan Hand Rub

chemtex

Section 13.
Disposal Considerations

RCRA Status N/A
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 14.
Transport Information

DOT Classification Class

3: Flammable liquids



Classification for Air Transport (IATA/ICAO)

Proper Shipping Name	Ethyl Alcohol Soln.
UN No.	1170
Packing Group	II

Classification for Sea Transport (IMO/IMDG)

Proper Shipping Name	Ethyl Alcohol Soln.
UN No.	1170
Packing Group	II
EMS Codes	F-B, S-D

Classification for Road Transport (ADR/RID)

Proper Shipping Name	Ethyl Alcohol Soln.
UN No.	1170
Packing Group	II

Section 15.
Regulatory Information

OSHA Hazard Status	Hazardous
HSN	38089400

Safety Data Sheet
Alstasan Hand Rub



Section 16.
Other Information

SDS Creation 16/8/2014

SDS Revision

30/3/2018

Abbreviations

N/A	Not Applicable
LEL	Lower Explosion Limit
UEL	Upper Explosion Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average
LD50	Lethal Dose Concentration that kills 50% dosed group
LC50	Lethal Concentration that kills 50% of dosed group
PPM	Parts Per Million
LSL	Lower Specification Limit
USL	Upper Specification Limit

© Copyright 2018, Chemtex Speciality Limited

No freedom from any patent owned by seller or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time. Customer is responsible for determining whether products and the information in this document are appropriate for customer's use and for ensuring that customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. Chemtex Speciality Limited or any of its resellers assume no obligation or liability what so ever for the information in this document.

NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED

Chemtex Speciality Limited

Haute Street Corporate Park, 86A Topsia Road (S)

Tel: +91-33-7111-1111 | Fax: +91-33-7111-1117

Email: info@chemtexlimited.com

www.chemtexlimited.com



Safety Data Sheet

Alstacol 25+

chemtex

Section 1.

Chemical Product and Company Identification

In case of any emergency, contact
Poison Control Center
1800-116-117





Product Name	Alstacol 25+		
Product Description	Alcohol based Surface Disinfectant		
Manufacturer's Name	Chemtex Speciality Limited	Supplier's Name	Chemtex Speciality Limited
Address	Haute Street Corporate Park 86A Topsia Road (S), Kolkata 700046	Address	Haute Street Corporate Park 86A Topsia Road (S), Kolkata 700046
Contact Information	Ph: +91-33-7111-1111	Contact Information	Ph: +91-33-7111-1111
Email	info@chemtexlimited.com	Email	info@chemtexlimited.com
SDS Prepared	16/8/2014	SDS Revised	30/3/2018

Emergency Contact No. +91-33-7111-1111 Mail: info@chemtexlimited.com

Section 2.

Hazard Identification

Route of Entry	Skin, Eye Contact, Ingestion
Eyes	Irritant. Inflammation of eyes characterized by redness, watering and itching.
Skin	Irritant in case of direct contact. Skin irritation is characterized by itching, scaling, whitening and occasional blistering. Skin contact may produce burns.
Ingestion	Swallowing this product may cause discomfort or GI disturbance. Prolonged exposure may result in ulceration.
Inhalation	Lung sensitizer. Non hazardous in case of inhalation. Over exposure may cause irritation of respiratory pathways.
Sub Chronic, Chronic	No application information was found concerning any potential health effects resulting from sub-chronic or chronic exposure to the product. The substance is toxic to lungs, mucous membranes. Repeated or prolonged exposure to the substance can produce target organs damage.

OSHA Hazard Status		Hazardous			
Class	Pictogram (if available)	Hazard	Category	Hazard Statement	P codes
GHS02: Danger Warning - Flammable		H226	Cat. 3	Flammable liquid and vapour	210, 233, 240, 241, 242, 243, 280, 303+361+353+ 370+378, 403+235, 501
GHS07: Warning - Toxic Category 2 - 3		H315	Cat. 2	Causes skin irritation	264, 280, 302, 352, 321, 332+313, 362
GHS07: Warning - Toxic Category 2 - 3		H335	Cat. 3	May cause respiratory irritation	261, 271, 304+340, 312, 403+233, 405, 501
GHS09: Warning - Environment Toxicity		H401	N/A	Toxic to aquatic life	

Safety Data Sheet
Alstacol 25+



P codes

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P234	Keep only in original container.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fumes/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P321	Specific treatment
P302+352	IF ON SKIN: Wash with plenty of water
P303+361+353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304+340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P332+313	If skin irritation occurs: Get medical advice/attention.
P362+364	Take off contaminated clothing and wash it before reuse.
P370+378	In case of fire: Use ... to extinguish.
P403+233	Store in a well ventilated place. Keep container tightly closed.
P403+235	Store in a well ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 3.

Composition/ Information on Ingredients

Ingredients	CAS No.	% by vol.
1-Propanol, 2-Propanol blend	Mixture	43.75
Ethyl Alcohol	64-17-5	26.25
n-Alkyl Dimethyl Benzyl Ammonium Chloride IP	85409-22-9	0.30
Other Ingredients	N/A	Q.S.

The information given above is a proprietary property of Chemtex Speciality Limited and it reserves all rights to protect it from being misused

Safety Data Sheet Alstacol 25+



Section 4. First Aid Measures

Eyes	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of cold water. Get medical attention immediately.
Skin	Immediately flush skin with plenty of water while removing contaminated clothing and shoes. Wash with soap and cover the contaminated skin with an emollient. Wash clothing and shoes before reuse. Seek immediate medical attention.
Ingestion	Do NOT induce vomiting unless directed by any medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic, infectious or corrosive. Seek immediate medical attention.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY. IF EXPOSED, CALL POISON CONTROL CENTER/DOCTOR/PHYSICIAN.

Section 5. Fire Fighting Measures

Flammable	Yes	
Flash Point	>30°C	
Flammability Point (% by volume)		
Lower	N/A	Upper N/A
Autoignition Temperature		N/A
Extinguishing Media		Use water. Do not use dry chemicals or foam. CO2 may provide limited control.
Fire Fighting Instructions		Exercise caution when fighting chemical fire. Flood fire area with water from a distance. A self contained breathing apparatus and protective clothing is essential.
Fire & Explosion Data		Explosive in presence of open flames and sparks, of heat, of organic materials, of metals, of acids. This product will accelerate burning when involved in a fire. It may explode from heat or contamination.
Special Hazards		Carbon dioxide, carbon monoxide, liberates free oxygen.

NFPA Symbol and Label

Health	1
Flamability	3
Reactivity	1
Special Notice	

<u>Hazard Rating</u>
4. Extreme
3. Serious
2. Moderate
1. Minimal
0. Slight

Safety Data Sheet

Alstacol 25+

chemtex

Section 6.

Accidental Release Measures

Small Spill	Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container.
Large Spill	Corrosive liquid. Do not touch spilled material. Stop leak if without risk. Absorb with dry earth, sand or other non-combustible material. Do not get water inside container. Avoid contact with combustible materials such as wood, paper, oil, clothing. Keep substance damp using water spray. Prevent entry into sewers, basements or confined areas. Call for assistance on disposal.




Section 7.

Handling Measures & Storage

Handling	Keep container dry and tightly closed in a cool, well ventilated area. Separate from acids, alkalis, reducing agents and combustibles. Keep away from heat and other sources of ignition. Do not ingest. Do not breathe gas/fumes/vapor/spray. Avoid contact with skin and eyes. Never add water to this product.
Storage	[P314]Get medical advice/attention if you feel unwell.[P402+404]Store in a dry place. Store in a closed container.[P403+233]Store in a well ventilated place. Keep container tightly closed.[P403+235]Store in a well ventilated place. Keep cool.

Section 8.

Exposure Controls & Personal Protection

Exposure Limits	N/A		
Specific Engineering Controls	Use local exhaust ventilation with a minimum capture velocity of 150 ft/min (0.75 m/sec) at the point of dust or mist evolution.		
Personal Protective Equipment			
HMIS	PPE	Pictograms	
C	Safety Glasses Gloves Apron		 

Safety Data Sheet Alstacol 25+



Section 9. Physico-Chemical Data

Form	Clear liquid
Appearance	Slight Blue
Odor	Alcohol type
pH (Neat)	N/A
Specific Gravity (20°C)	N/A
Solubility	Soluble in water
Additional Physico-chemical Data	
Vapor Pressure (20°C)	N/A
Volatility	N/A
Boiling Point	N/A
Taste	N/A

Section 10. Stability and Reactivity

Chemical Stability	Stable
Hazardous Polymerization	Will not occur
Conditions to avoid	Do not freeze. Keep away from open flames, hot surfaces , source of ignition
Incompatibility	Reducing agents, Combustible materials, Acids, Alkalies, heat, flames
Corrosivity	N/A
Special Remarks	Hygroscopic

Section 11. Toxicological Information

Product	Oral LD50 (Rat) [mg/kg]	Dermal LD50 (Rabbit) [mg/kg]	Inhalation LC50 (Rat) [mg/L]
Alstacol 25+	N/A	N/A	N/A

Carcinogenicity	Non Carcinogenic
Teratogenicity	Non Teratogenic
Mutagenicity	Non Mutagenic

Section 12. Ecological Information

BOD	N/A
COD	N/A
Biodegradation	N/A
Marine Pollutant	H401

Safety Data Sheet Alstacol 25+

chemtex

Section 13. Disposal Considerations

RCRA Status N/A
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 14. Transport Information

DOT Classification Class

3: Flammable liquids



Classification for Air Transport (IATA/ICAO)

Proper Shipping Name	N.O.S
UN No.	1170
Packing Group	II

Classification for Sea Transport (IMO/IMDG)

Proper Shipping Name	N.O.S
UN No.	1170
Packing Group	II
EMS Codes	F-B, S-D

Classification for Road Transport (ADR/RID)

Proper Shipping Name	N.O.S
UN No.	1170
Packing Group	II

Section 15. Regulatory Information

OSHA Hazard Status	Hazardous
HSN	38089400

Safety Data Sheet
Alstacol 25+

chemtex

Section 16.
Other Information

SDS Creation 16/8/2014

SDS Revision

30/3/2018

Abbreviations

N/A	Not Applicable
LEL	Lower Explosion Limit
UEL	Upper Explosion Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average
LD50	Lethal Dose Concentration that kills 50% dosed group
LC50	Lethal Concentration that kills 50% of dosed group
PPM	Parts Per Million
LSL	Lower Specification Limit
USL	Upper Specification Limit

© Copyright 2018, Chemtex Speciality Limited

No freedom from any patent owned by seller or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time. Customer is responsible for determining whether products and the information in this document are appropriate for customer's use and for ensuring that customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. Chemtex Speciality Limited or any of its resellers assume no obligation or liability whatsoever for the information in this document.

NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED

Chemtex Speciality Limited

Haute Street Corporate Park, 86A Topsia Road (S)

Tel: +91-33-7111-1111 | Fax: +91-33-7111-1117

Email: info@chemtexlimited.com

www.chemtexlimited.com



MEMBER



Safety Data Sheet

Alstasan II 256



Section 1.

Chemical Product and Company Identification

In case of any emergency, contact
Poison Control Center
1800-116-117

Product Name	Alstasan II 256		
Product Description	Hard Surface Cleaner and Disinfectant		
Manufacturer's Name	Chemtex Speciality Limited	Supplier's Name	Chemtex Speciality Limited
Address	Haute Street Corporate Park 86A Topsia Road (S), Kolkata 700046	Address	Haute Street Corporate Park 86A Topsia Road (S), Kolkata 700046
Contact Information	Ph: +91-33-7111-1111	Contact Information	Ph: +91-33-7111-1111
Email	info@chemtexlimited.com	Email	info@chemtexlimited.com
SDS Prepared	16/8/2014	SDS Revised	30/3/2018

Emergency Contact **No. +91-33-7111-1111** **Mail: info@chemtexlimited.com**

Section 2.

Hazard Identification

Route of Entry Skin, Eye Contact, Ingestion

OSHA Hazard Status Not Regulated

Class	Pictogram (if available)	Hazard	Category	Hazard Statement	P codes
GHS07: Warning - Toxic Category 2 - 3		H315	Cat. 2	Causes skin irritation	264, 280, 302, 352, 321, 332+313, 362
GHS07: Warning - Toxic Category 2 - 3		H319	Cat. 2	Causes serious eye irritation	264, 280, 305+351+338, 337+313
GHS07: Warning - Toxic Category 2 - 3		H335	Cat. 3	May cause respiratory irritation	261, 271, 304+340, 312, 403+233, 405, 501

Safety Data Sheet
Alstasan II 256



P codes

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P261	Avoid breathing dust/fumes/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P314	Get medical advice/attention if you feel unwell.
P321	Specific treatment
P302+352	IF ON SKIN: Wash with plenty of water
P304+340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.
P332+313	If skin irritation occurs: Get medical advice/attention.
P337+313	If eye irritation persists get medical advice/attention.
P362+364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P403+233	Store in a well ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 3.

Composition/ Information on Ingredients

Ingredients	CAS No.	% by wt.
n-Alkyl Dimethyl Benzyl Ammonium Chloride IP	85409-22-9	8.20
Didecyl Dimethyl Ammonium Chloride IP	7173-51-5	8.70
Inert matter (Solvent and Stabilizers)	N/A	83.21

The information given above is a proprietary property of Chemtex Speciality Limited and it reserves all rights to protect it from being misused

Safety Data Sheet
Alstasan II 256



Section 4.
First Aid Measures

Eyes	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of cold water. Get medical attention immediately.
Skin	Immediately flush skin with plenty of water while removing contaminated clothing and shoes. Wash with soap and cover the contaminated skin with an emollient. Wash clothing and shoes before reuse. Seek immediate medical attention.
Ingestion	Do NOT induce vomiting unless directed by any medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic, infectious or corrosive. Seek immediate medical attention.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY. IF EXPOSED, CALL POISON CONTROL CENTER/DOCTOR/PHYSICIAN.

Section 5.
Fire Fighting Measures

Flammable	No	
Flash Point	N/A	
Flammability Point (% by volume)		
Lower	N/A	Upper N/A
Autoignition Temperature		N/A
Extinguishing Media		Use extinguishing measures that are appropriate to local circumstances and the surrounding environment
Fire Fighting Instructions		Exercise caution when fighting chemical fire. A self contained breathing apparatus and protective clothing is essential.
Fire & Explosion Data		N/A

Special Hazards Oxides of Carbon, Nitrogen, Sulphur, Phosphorous

NFPA Symbol and Label

Health	2
Flamability	1
Reactivity	1
Special Notice	

Hazard Rating
4. Extreme
3. Serious
2. Moderate
1. Minimal
0. Slight

Safety Data Sheet

Alstasan II 256

chemtex

Section 6.

Accidental Release Measures

Small Spill	Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container.
Large Spill	Corrosive liquid. Do not touch spilled material. Stop leak if without risk. Absorb with dry earth, sand or other non-combustible material. Do not get water inside container. Avoid contact with combustible materials such as wood, paper, oil, clothing. Keep substance damp using water spray. Prevent entry into sewers, basements or confined areas. Call for assistance on disposal.

Section 7.

Handling Measures & Storage

Handling	Keep container dry and tightly closed in a cool, well ventilated area. Separate from acids, alkalis, reducing agents and combustibles. Keep away from heat and other sources of ignition. Do not ingest. Do not breathe gas/fumes/vapor/spray. Avoid contact with skin and eyes. Never add water to this product.
Storage	[P314]Get medical advice/attention if you feel unwell.[P402+404]Store in a dry place. Store in a closed container.[P403+233]Store in a well ventilated place. Keep container tightly closed.[P403+235]Store in a well ventilated place. Keep cool.

Section 8.

Exposure Controls & Personal Protection

Exposure Limits	N/A
Specific Engineering Controls	N/A

Personal Protective Equipment

HMIS

PPE

H

Safety Glasses
Gloves
Apron
Vapor Respirator

Pictograms



Safety Data Sheet Alstasan II 256

chemtex

Section 9. Physico-Chemical Data

Form	Clear liquid
Appearance	Blue
Odor	Refreshing Mint like
pH (Neat)	10.0 - 10.5
Specific Gravity	0.95 - 1.0
Solubility	Miscible
Additional Physico-chemical Data	
Density @ 25°C	N/A
Volatility	N/A
Boiling Point	N/A
Taste	N/A

Section 10. Stability and Reactivity

Chemical Stability	Stable under normal conditions
Hazardous Polymerization	Will not occur
Conditions to avoid	Strong heat, Incompatible materials
Incompatibility	Oxidizing agents, Reducing agents, Combustible materials, Acids, Alkalis.
Corrosivity	N /A
Special Remarks	N/A

Section 11. Toxicological Information

Product	Oral LD50 (Rat) [mg/kg]	Dermal LD50 (Rabbit) [mg/kg]	Inhalation LC50 (Rat) [mg/L]
Alstasan II 256	>1500	>1500	N/A

Carcinogenicity	Non Carcinogenic
Teratogenicity	Non Teratogenic
Mutagenicity	Non Mutagenic

Section 12. Ecological Information

BOD	N/A
COD	N/A
Biodegradation	Short term: None; Long term: Long term degradation products may arise.
Marine Pollutant	N/A

Safety Data Sheet
Alstasan II 256



Section 13.
Disposal Considerations

RCRA Status	N/A
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 14.
Transport Information

DOT Classification	Class
	Not Regulated

Classification for Air Transport (IATA/ICAO)

Proper Shipping Name	Not Regulated
UN No.	Not Regulated
Packing Group	Not Regulated

Classification for Sea Transport (IMO/IMDG)

Proper Shipping Name	Not Regulated
UN No.	Not Regulated
Packing Group	Not Regulated

Classification for Road Transport (ADR/RID)

Proper Shipping Name	Not Regulated
UN No.	Not Regulated
Packing Group	Not Regulated

Section 15.
Regulatory Information

OSHA Hazard Status	Not Regulated
HSN	38089400

Safety Data Sheet
Alstasan II 256

chemtex

Section 16.
Other Information

SDS Creation 16/8/2014

SDS Revision

30/3/2018

Abbreviations

N/A	Not Applicable
LEL	Lower Explosion Limit
UEL	Upper Explosion Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average
LD50	Lethal Dose Concentration that kills 50% dosed group
LC50	Lethal Concentration that kills 50% of dosed group
PPM	Parts Per Million
LSL	Lower Specification Limit
USL	Upper Specification Limit

© Copyright 2018, Chemtex Speciality Limited

No freedom from any patent owned by seller or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time. Customer is responsible for determining whether products and the information in this document are appropriate for customer's use and for ensuring that customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. Chemtex Speciality Limited or any of its resellers assume no obligation or liability whatsoever for the information in this document.

NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED

Chemtex Speciality Limited

Haute Street Corporate Park, 86A Topsia Road (S)

Tel: +91-33-7111-1111 | Fax: +91-33-7111-1117

Email: info@chemtexlimited.com

www.chemtexlimited.com



Safety Data Sheet

Alstasan Silvox 150 FUME



Section 1.

Chemical Product and Company Identification

In case of any emergency,
contact Poison Control Center
1800-116-117

Product Name	Alstasan Silvox 150 FUME		
Product Description	Accelerated Silver Hydrogen Peroxide with Aloevera Extract (Glycerine Free)		
Manufacturer's Name	Chemtex Speciality Limited	Supplier's Name	Chemtex Speciality Limited
Address	Haute Street Corporate Park 86A Topsia Road (S), Kolkata 700046	Address	Haute Street Corporate Park 86A Topsia Road (S), Kolkata 700046
Contact Information	Ph: +91-33-7111-1111	Contact Information	Ph: +91-33-7111-1111
Email	info@chemtexlimited.com	Email	info@chemtexlimited.com
SDS Prepared	4/1/2020	SDS Revised	N/A

Emergency Contact **No. +91-33-7111-1111** **Mail: info@chemtexlimited.com**

Section 2.

Hazard Identification

Route of Entry	Inhalation
OSHA Hazard Status	Non Hazardous
P codes	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220	Keep/Store away from clothing/combustible materials.
P234	Keep only in original container.
P264	Wash thoroughly after handling.
P284	[In case of inadequate ventilation] wear respiratory protection.
P235+410	Keep cool. Protect from sunlight
P314	Get medical advice/attention if you feel unwell.
P363	Wash contaminated clothing before reuse.
P381	Eliminate all ignition sources if safe to do so.
P391	Collect spillage.
P301+312	IF SWALLOWED: Call a POISON CENTER/doctor/if you feel unwell.
P301+330+331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P342+311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor
P362+364	Take off contaminated clothing and wash it before reuse.
P370+376	In case of fire: Stop leak if safe to do so.
P370+378	In case of fire: Use dry earth to extinguish.
P403+235	Store in a well ventilated place. Keep cool.
P410+403	Protect from sunlight. Store in a well-ventilated place.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

Safety Data Sheet
Alstasan Silvox 150 FUME



Section 3.
Composition/ Information on Ingredients

Ingredients	CAS No.	% by wt.
Accelerated Hydrogen Peroxide	N/A	0.5
Stabilizers	N/A	0.01
Inert Ingredients, Aloe Vera Extracts	N/A	Q.S.

The information given above is a proprietary property of Chemtex Speciality Limited and it reserves all rights to protect it from being misused

Section 4.
First Aid Measures

Eyes	[P305+351+338] IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.
Skin	[P333+313] If skin irritation or a rash occurs: Get medical advice/attention.
Ingestion	[P301+330+331] IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. [P301+312] IF SWALLOWED: Call a POISON CENTER/doctor/if you feel unwell.
Inhalation	[P304+312] IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY. IF EXPOSED, CALL POISON CONTROL CENTER/DOCTOR/PHYSICIAN.

Section 5.
Fire Fighting Measures

Flammable	No
Flash Point	N/A
Extinguishing Media	Dry chemical, carbon dioxide, water spray, foam
Fire Fighting Instructions	Do not scatter spilled liquid with high pressure water streams. Avoid breathing hazardous vapors
Fire & Explosion Data	N/A
Special Hazards	Not Determined

NFPA Symbol and Label

Health	0
Flamability	0
Reactivity	1
Special Notice	

Hazard Rating

- 4. Extreme
- 3. Serious
- 2. Moderate
- 1. Minimal
- 0. Slight

Section 6.
Accidental Release Measures

Small Spill	Soak up with sand or other absorbent material into clean dry containers for later disposal.
Large Spill	Stop leak if done without risk. Soak up with sand or other absorbent material into clean dry containers for later disposal. Keep unnecessary people away and isolate hazard area.

Safety Data Sheet

Alstasan Silvox 150 FUME

chemtex

Section 7.

Handling Measures & Storage

Handling	[P210] Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. [P220] Keep/Store away from clothing/combustible materials. [P234] Keep only in original container.
Storage	[P403+235] Store in a well ventilated place. Keep cool. [P410+403] Protect from sunlight. Store in a well-ventilated place.

Section 8.

Exposure Controls & Personal Protection

Exposure Limits

Specific Engineering Controls

N/A

Provide exhaust ventilation. Consult local authorities for acceptable exposure limits. Ensure that eyewash stations and safety showers are proximal to the workstation location.

Personal Protective Equipment

HMIS

PPE

B

Safety Glasses
Gloves

Pictograms



Section 9.

Physico-Chemical Data

Form

Clear liquid

Appearance

Colorless

Odor

Odorless

pH (1% solution)

N/A

Specific Gravity (20°C)

N/A

Solubility

Completely soluble in water

Additional Physico-chemical Data

Boiling Point

N/A

Freezing Point

N/A

Max. Operational Temperature

N/A

Viscosity

N/A

Section 10.

Stability and Reactivity

Chemical Stability

Stable

Hazardous Polymerization

Will not occur under recommended conditions

Conditions to avoid

Strong heat, incompatibles

Incompatibility

Strong oxidizers, reducing agents

Corrosivity

Non corrosive

Hazardous Decomposition

N/A

Special Remarks

N/A

Safety Data Sheet
Alstasan Silvox 150 FUME



Section 11.
Toxicological Information

Product	Oral LD50 (Rat) [mg/kg]	Dermal LD50 (Rats) [mg/kg]	Inhalation LC50 (Rat) [mg/L]
Alstasan Silvox 150 FUME	> 5000	N/A	N/A

Carcinogenicity	N/A
Teratogenicity	N/A
Mutagenicity	N/A

Section 12.
Ecological Information

BOD/ COD	N/A
Eco-toxicity	N/A
Biodegradation	Short term: None; Long term: Long term degradation products may arise
Marine Pollutant	N/A

Section 13.
Disposal Considerations

P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
------	---

Section 14.
Transport Information

Classification for IATA/ICAO/IMO/IMDG/ADR/RID	N/A
Proper Shipping Name	Not Regulated
UN No.	Not Regulated
Packing Group	Not Regulated

Section 15.
Regulatory Information

OSHA Hazard Status	Non Hazardous
HSN	38089400

Safety Data Sheet
Alstasan Silvox 150 FUME



Section 16.
Other Information

SDS Creation 4/1/2020 SDS Revision N/A

Abbreviations

N/A	Not Applicable
LEL	Lower Explosion Limit
UEL	Upper Explosion Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average
LD50	Lethal Dose Concentration that kills 50% dosed group
LC50	Lethal Concentration that kills 50% of dosed group
PPM	Parts Per Million
LSL	Lower Specification Limit
USL	Upper Specification Limit

© Copyright 2020, Chemtex Speciality Limited

No freedom from any patent owned by seller or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time. Customer is responsible for determining whether products and the information in this document are appropriate for customer's use and for ensuring that customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. Chemtex Speciality Limited or any of its resellers assume no obligation or liability what so ever for the information in this document.

NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED

Chemtex Speciality Limited

Haute Street Corporate Park, 86A Topsia Road (S)

Tel: +91-33-7111-1111 | Fax: +91-33-7111-1117

Email: info@chemtexlimited.com

www.chemtexltd.com



Safety Data Sheet
Alstasan Silvox 150® MIST



Section 1.

Chemical Product and Company Identification

In case of any emergency,
 contact Poison Control Center
1800-116-117

Product Name	Alstasan Silvox 150® MIST		
Product Description	Silver Accelerated Hydrogen Peroxide with Stabilizers based Fog and Spray Disinfectant		
Manufacturer's Name	Chemtex Speciality Limited	Supplier's Name	Chemtex Speciality Limited
Address	Haute Street Corporate Park 86A Topsia Road (S), Kolkata 700046	Address	Haute Street Corporate Park 86A Topsia Road (S), Kolkata 700046
Contact Information	Ph: +91-33-7111-1111	Contact Information	Ph: +91-33-7111-1111
Email	info@chemtexlimited.com	Email	info@chemtexlimited.com
SDS Prepared	4/1/2020	SDS Revised	N/A

Emergency Contact **No. +91-33-7111-1111** **Mail: info@chemtexlimited.com**

Section 2.

Hazard Identification

Route of Entry	Inhalation
OSHA Hazard Status	Non Hazardous

P codes

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220	Keep/Store away from clothing/combustible materials.
P234	Keep only in original container.
P264	Wash thoroughly after handling.
P284	[In case of inadequate ventilation] wear respiratory protection.
P235+410	Keep cool. Protect from sunlight
P314	Get medical advice/attention if you feel unwell.
P363	Wash contaminated clothing before reuse.
P381	Eliminate all ignition sources if safe to do so.
P391	Collect spillage.
P301+312	IF SWALLOWED: Call a POISON CENTER/doctor/if you feel unwell.
P301+330+331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P342+311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor
P362+364	Take off contaminated clothing and wash it before reuse.
P370+376	In case of fire: Stop leak if safe to do so.
P370+378	In case of fire: Use dry earth to extinguish.
P403+235	Store in a well ventilated place. Keep cool.
P410+403	Protect from sunlight. Store in a well-ventilated place.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

Safety Data Sheet
Alstasan Silvox 150® MIST



Section 3.
Composition/ Information on Ingredients

Ingredients	CAS No.	% by wt.
Silver Accelerated Hydrogen Peroxide	N/A	0.5
Stabilizers	N/A	0.01

The information given above is a proprietary property of Chemtex Speciality Limited and it reserves all rights to protect it from being misused

Section 4.
First Aid Measures

Eyes	[P305+351+338] IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.
Skin	[P333+313] If skin irritation or a rash occurs: Get medical advice/attention.
Ingestion	[P301+330+331] IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. [P301+312] IF SWALLOWED: Call a POISON CENTER/doctor/if you feel unwell.
Inhalation	[P304+312] IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY. IF EXPOSED, CALL POISON CONTROL CENTER/DOCTOR/PHYSICIAN.

Section 5.
Fire Fighting Measures

Flammable	No
Flash Point	N/A
Extinguishing Media	Dry chemical, carbon dioxide, water spray, foam
Fire Fighting Instructions	Do not scatter spilled liquid with high pressure water streams. Avoid breathing hazardous vapors
Fire & Explosion Data	N/A
Special Hazards	Not Determined

NFPA Symbol and Label

Health	0
Flamability	0
Reactivity	1
Special Notice	

Hazard Rating
4. Extreme
3. Serious
2. Moderate
1. Minimal
0. Slight

Section 6.
Accidental Release Measures

Small Spill	Soak up with sand or other absorbent material into clean dry containers for later disposal.
Large Spill	Stop leak if done without risk. Soak up with sand or other absorbent material into clean dry containers for later disposal. Keep unnecessary people away and isolate hazard area.

Safety Data Sheet

Alstasan Silvox 150® MIST

chemtex

Section 7. Handling Measures & Storage

Handling	[P210] Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. [P220] Keep/Store away from clothing/combustible materials. [P234] Keep only in original container.
Storage	[P403+235] Store in a well ventilated place. Keep cool. [P410+403] Protect from sunlight. Store in a well-ventilated place.

Section 8. Exposure Controls & Personal Protection

Exposure Limits Specific Engineering Controls

N/A
Provide exhaust ventilation. Consult local authorities for acceptable exposure limits. Ensure that eyewash stations and safety showers are proximal to the workstation location.

Personal Protective Equipment

HMIS	PPE
A	Safety Glasses

Pictograms



Section 9. Physico-Chemical Data

Form	Clear liquid
Appearance	Colorless
Odor	Odorless
pH (1% solution)	N/A
Specific Gravity (20°C)	N/A
Solubility	Completely soluble in water
Additional Physico-chemical Data	
Boiling Point	N/A
Freezing Point	N/A
Max. Operational Temperature	N/A
Viscosity	N/A

Section 10. Stability and Reactivity

Chemical Stability	Stable
Hazardous Polymerization	Will not occur under recommended conditions
Conditions to avoid	Strong heat, incompatibles
Incompatibility	Strong oxidizers, reducing agents
Corrosivity	Non corrosive
Hazardous Decomposition	N/A
Special Remarks	N/A

Safety Data Sheet
Alstasan Silvox 150® MIST



Section 11.
Toxicological Information

Product	Oral LD50 (Rat) [mg/kg]	Dermal LD50 (Rats) [mg/kg]	Inhalation LC50 (Rat) [mg/L]
Alstasan Silvox 150® MIST	> 5000	N/A	N/A

Carcinogenicity	N/A
Teratogenicity	N/A
Mutagenicity	N/A

Section 12.
Ecological Information

BOD/ COD	N/A
Eco-toxicity	N/A
Biodegradation	Short term: None; Long term: Long term degradation products may arise
Marine Pollutant	N/A

Section 13.
Disposal Considerations

P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
------	---

Section 14.
Transport Information

Classification for IATA/ICAO/IMO/IMDG/ADR/RID	N/A
Proper Shipping Name	Not Regulated
UN No.	Not Regulated
Packing Group	Not Regulated

Section 15.
Regulatory Information

OSHA Hazard Status	Non Hazardous
HSN	38089400

Safety Data Sheet
Alstasan Silvox 150® MIST



Section 16.
Other Information

SDS Creation 4/1/2020 SDS Revision N/A

Abbreviations

N/A	Not Applicable
LEL	Lower Explosion Limit
UEL	Upper Explosion Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average
LD50	Lethal Dose Concentration that kills 50% dosed group
LC50	Lethal Concentration that kills 50% of dosed group
PPM	Parts Per Million
LSL	Lower Specification Limit
USL	Upper Specification Limit

© Copyright 2020, Chemtex Speciality Limited

No freedom from any patent owned by seller or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time. Customer is responsible for determining whether products and the information in this document are appropriate for customer's use and for ensuring that customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. Chemtex Speciality Limited or any of its resellers assume no obligation or liability what so ever for the information in this document.

NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED

Chemtex Speciality Limited

Haute Street Corporate Park, 86A Topsia Road (S)

Tel: +91-33-7111-1111 | Fax: +91-33-7111-1117

Email: info@chemtexlimited.com

www.chemtexltd.com

