

Section 1. Chemical Product and Company Identification In case of any emergency, contact Poison Control Center 1800-116-117

Product Name Product Description	CHEMTEX COOLANT PI953 Super Concentrated High F For Heavy Duty Diesel Eng	Performance Coolant	Antifreeze		
Manufacturer's Name Address	Chemtex Speciality Limited Haute Street Corporate Park 86A Topsia Road (S), Kolkata 700046	Supplier's Name Address			
Contact Information Email	Ph: +91-33-7111-1111 info@chemtexItd.com	Contact Information Email		3-7111-1111	
SDS Prepared	05-11-2012	SDS Revised	31-01-2022	2	
Emergency Contact	No. +91-33-7111-1111	Mail: info@chemtexIto	d.com		
Section 2. Hazard Identification					
Route of Entry OSHA Hazard Status	Skin, Eye Contact, Ingestic Not Regulated	on			
Class	Pictogram (if available)	Hazard	Category	Hazard Statement	P codes
GHS07: Warning - Toxic Category 2 - 3		H315, H319	Cat. 4, Cat. 2	Causes skin irritation; Causes serious eye irritation	264, 270, 280, 302, 305+351+33 38,337+313, 352, 321, 301+ 312, 332+ 313, 362, 330
GHS07: Warning - Toxic Category 2 - 3		H302	N/A	Harmful if swallowed	

chemtex

P codes

F COUES	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P321	Specific treatment
P301+312	IF SWALLOWED: Call a POISON CENTER/doctor/if you feel unwell.
P302+352	IF ON SKIN: Wash with plenty of water
P305+351+3	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and
38	easy to do – continue rinsing.
P332+313	If skin irritation occurs: Get medical advice/attention.
P337+313	If eye irritation persists get medical advice/attention.
P362+364	Take off contaminated clothing and wash it before reuse.

Section 3.

Composition/ Information on Ingredients

Ingredients	CAS No.	% by wt.
Monoethylene Glycol	107-21-1	94.0 - 98.0
Inhibitor Package (Non Hazardous)	N/A	2.0 - 3.0
Non Hazardous Dye	N/A	0.0 - 1.0
DM Water	7732-18-5	< 1.5

The information given above is a proprietary property of Chemtex Speciality Limited and it reserves all rights to protect it from being misused



Section 4. First Aid Measures

Eyes	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of cold water Get medical attention immediately.
Skin	Immediately flush skin with plenty of water while removing contaminated clothing and shoes. Wash with soap and cover the contaminated skin with an emollient. Wash clothing and shoes before reuse. Seek immediate medical attention.
Ingestion	Do NOT induce vomiting unless directed by any medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear. Administer 5% solution of sodium bicarbonate followed with milk.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic, infectious or corrosive. Seek immediate medical attention.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY. IF EXPOSED, CALL POISON CONTROL CENTER/DOCTOR/PHYSICIAN.

Section 5. Fire Fighting Measures

Flammable Flash Point Flammability Point (%	No N/A 6 by volume)			
Lower	h	3.2	Upper	15.3
Autoignition Tempera	iture		> 450°C	
Extinguishing Media			Use water spray, alcohol-resista	nt foam, dry chemical/ CO2
Fire Fighting Instruct	ions		Wear full protective clothing. We	ear self contained breathing apparatus.
Fire & Explosion Data	I		sparks, of heat. Non-flammable	e in presence of open flames and in presence of shocks. Explosive abined with strong acids or strong t temperatures.
Special Hazards			Products on combustion: COx	

NFPA Symbol and Label

Health	1
Flamability	1
Reactivity	0
Special Notice	

Hazard Rating
4. Extreme
3. Serious
2. Moderate
1. Minimal
0. Slight



Section 6. Accidental Release Measures

Small Spill	Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.
Large Spill	Stop leak if without risk. Do not get water inside container. Do not touch spilled material. Use water spray to reduce vapors. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all ignition sources. Call for assistance on disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.
Section 7. Handling Measures & S	Storage
Handling	Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Wear suitable protective clothing. If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as oxidizing agents, acids, alkalis.
Storage	Keep container tightly closed. Keep container in a cool, well-ventilated area. Product is hygroscopic in nature.
Section 8.	

Exposure Controls & Personal Protection

Exposure Limits

Specific Engineering Controls

TWA 25ppm; STEL 50ppm

Provide exhaust ventilation or other engineering controls to keep airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the workstation location. Consult local authorities for acceptable exposure limits.

Personal Protective Eq	uipment
HMIS	PPE
С	Safety Glasses
	Gloves
	Apron



Section 9. Physico-Chemical Data

Form	Clear Liquid
Appearance	Intense Red
Odor	Odorless
pH (dilution)	8.5 - 10.5
Specific Gravity (20°C)	1.11 - 1.13
Solubility	Soluble in water, ether
Additional Physico-chemical Data	
Boiling Point	N/A
Freezing Point	- 16°C/3.2 F
Reserve Alkalinity	14 - 15ml
Decomposition Temperature	N/A
Section 10.	
Stability and Reactivity	
Chemical Stability	Stable
Hazardous Polymerization	Will not occur
Conditions to avoid	Excess heat, incompatible materials
Incompatibility	Oxidizing agents, acids, alkali
Corrosivity	Non-corrosive in presence of glass
Hazardous Decomposition	COx.
Special Remarks	Hygroscopic nature
Section 11	

Section 11. Toxicological Information

Product	Oral LD50 (Rat) [mg/kg]	Dermal LD50 (Rats) [mg/kg]	Inhalation LC50 (Rat) [mg/L]
CHEMTEX COOLANT PI95X IR	4700	N/A	>200
Carcinogenicity Teratogenicity Mutagenicity		A4, not classifiable for humar N/A Mutagenic for mammalian so	
Section 12. Ecological Information			

BOD/ COD	N/A
Eco-toxicity	41 gm/l 96 hours [Trout]
Biodegradation	Long term degradation products may arise.

Marine Pollutant N/A

chemtex

chemtex

Section 13. **Disposal Considerations**

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 14. Transport Information

DOT Classification Class

Not Regulated

Classification for Air Transport (IATA/ICAO)	
Proper Shipping Name	Not Regulated
UN No.	Not Regulated
Packing Group	Not Regulated
Classification for Sea Transport (IMO/IMDG)	
Proper Shipping Name	Not Regulated
UN No.	Not Regulated
Packing Group	Not Regulated
Classification for Road Transport (ADR/RID)	
Proper Shipping Name	Not Regulated
UN No.	Not Regulated
Packing Group	Not Regulated
Section 15.	
Regulatory Information	

OSHA Hazard Status HSN

Not Regulated 38200000

chemtex

Section 16. Other Information

SDS Creation

05-11-2012

SDS Revision

31-01-2022

Abbreviations	
N/A	Not Applicable
LEL	Lower Explosion Limit
UEL	Upper Explosion Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average
LD50	Lethal Dose Concentration that kills 50% dosed group
LC50	Lethal Concentration that kills 50% of dosed group
PPM	Parts Per Million
LSL	Lower Specification Limit
USL	Upper Specification Limit

© Copyright 2022, Chemtex Speciality Limited

No freedom from any patent owned by seller or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time. Customer ids responsible for determining whether products and the information in this document are appropriate for customer's use and for ensuring that customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. Chemtex Speciality Limited or any of its resellers assume no obligation or liability what so ever for the information in this document.

NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED

